

Showbiz Pizza Place, Inc.

SCHEDULE OF DRAWINGS

SHEET NUMBER	SHEET TITLE	DATE	BY
0	COVER SHEET / SCHEDULE OF DRAWINGS	3-25-80	AG/REL
0-1	PERSPECTIVE VIEW OF THEATRE DINING ROOM	2-18-80	AG/REL
S-1	VICINITY MAP & ROOF PLAN	3-25-80	AG/RL
A-1	FLOOR PLAN	3-25-80	AG/RL
A-2	EXTERIOR BLDG. ELEVATIONS & DETAILS	3-25-80	AG/RL
A-3	ROOM FINISH COLOR SCHEDULE & NOTES	3-25-80	AG/RL
A-4	DOOR & WINDOW SCHEDULE, RESTROOM & MISC. DETAILS	3-25-80	AG/RL
A-5	INTERIOR ELEVATIONS	3-25-80	AG/RL
A-6	INTERIOR ELEVATIONS OF DINING "B" & PLAYROOM	3-25-80	AG/RL
A-7	RAILINGS, KITCHEN COUNTERS, SLOPING CEILING & BEVERAGE COUNTER & MISC. DETAILS	3-25-80	AG/REL
A-8	KID'S CRAWL, T.V. MONITOR, PLATFORM "A", TELEPHONE CABINET & MISC. DETAILS	3-25-80	AG/RL
A-9	FLOOR PLAN DINING "B" & ELEVATION OF PLATFORM FOR ANIMATED CHARACTERS	3-25-80	AG/REL
A-10	STORE DETAILS (IN FOYER)	3-25-80	AG/RL
K-1	KITCHEN EQUIPMENT FLOOR PLAN	3-18-80	AG/RL
K-2	KITCHEN EQUIPMENT ELECTRICAL PLAN	3-18-80	AG/RL
K-3	KITCHEN EQUIPMENT MECHANICAL PLAN	3-18-80	AG/RL
M-1	PLUMBING & HVAC SYSTEMS	3-25-80	AG/RL
M-2	PLUMBING & HVAC SYSTEMS	3-25-80	AG/RL
E-1	ELECTRICAL POWER SYSTEMS	3-25-80	AG/RL
E-2	ILLUMINATION PLAN	3-25-80	AG/RL
E-3	KITCHEN ELECTRICAL SYSTEMS	3-25-80	AG/RL
E-4	ELECTRICAL SCHEDULES & DETAILS	3-25-80	AG/REL
10-1	EXTERIOR IDENTIFICATION & DECOR - EXTERIOR SIGNAGE	3-25-80	AG/REL
PM-1S	PROJECT MANUAL - ARCHITECTURAL	3-25-80	AG/REL
PM-1S	PROJECT MANUAL - ARCHITECTURAL	3-25-80	AG/REL
PM-5S	PROJECT MANUAL - MECHANICAL	3-25-80	AG/REL
PM-5S	PROJECT MANUAL - ELECTRICAL	3-25-80	AG/REL

ALL FOOTINGS, REINFORCING AND FRAMING MUST BE INSPECTED AND APPROVED BY A CITY BUILDING INSPECTOR BEFORE CONCRETE POUR OR FRAMING COVER UP. CALL THE INSPECTOR AT THE NUMBER LISTED ON YOUR PERMIT BETWEEN 8:00-9:00 A.M. FOR THESE INSPECTIONS.


LOCATION OF UNIT NO.

S.E. CORNER OF ATLANTIC BLVD & LIVE OAK DRIVE (REGENCY PLAZA SHOPPING CENTER)
DUVAL COUNTY, JACKSONVILLE, FLORIDA

APPROVED
KEEP THIS PLAN ON JOB
MAR 28 1980 2333
Building & Zoning Inspection Div.
Jacksonville, Florida

R-29

THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED DESIGNERS & ARCHITECTS, P.A.



Showbiz Pizza Place, Inc.
A Subsidiary of Topoka Inn Management Inc.
2209 WEST 20th • TOPEKA, KANSAS 66611
Developers of:

UNIT NO.

A
S
5



AG REL

COVER SHEET / SCHEDULE OF DRAWINGS

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE

3-25-80

DATE


3-25-80

DATE

3-25-80

DATE

3-25-80



Showbiz Pizza Place, Inc.

A Subsidiary of Topoka Inn Management Inc.

2209 WEST 29th - TOPEKA, KANSAS 66611

Developers of:

UNIT NO.

A
S
5



AS R/L

PERSPECTIVE
VIEW OF:
THEATER
DINING

JOB
7-115-5

DATE
2-18-80

SEAL


ASSOCIATED
DESIGNERS &
ARCHITECTS


MISSION STATE
BANK BUILDING
5201 JOHNSON DR
MISSION, KS 66205
TEL (913) 432-1020

01


APPROVED
KEEP THIS PLAN ON JOB
MAR 28 1980 2333
Building & Zoning Inspection Div.
Jacksonville, Florida

THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P.A.






VICINITY MAP
SCALE 1" = 20'-0"



FLASHING & ROOF PENETRATION
NTG. (SEE DR CONDUIT)



ROOF PLAN
SCALE 1" = 20'-0"

CONSTRUCTION NOTES

1. WELD LONG L'S TO DISBURSE AND FLANGE OF EXIST. TRIP CHORD.
2. (2) WELDED L'S TO BE CORNER & WELDED TO 2" MIN. HORIZONTAL LEG, OF LONG L'S TO SUPPORT EXIST. MET. DECK.
3. LOCATE L'S AS CLOSE AS POSSIBLE TO MET. PANEL JOINTS.
4. 3" x 2" x 1/4" L.
5. 1/2" OF EXIST. BEAM.
6. PROVIDE (2) 1" DIA. OF NEW 1" BRIDGING BETWEEN EXIST. JOINTS.
7. (2) 1" DIA. OF NEW 1" BRIDGING BETWEEN EXIST. JOINTS.
8. BUILD-UP A NEW CRACK-OUT ON HIGH SIDE OF R.T.C. TO TURN STORM WATER & MINIMIZE INFLUENCE - BUILD-UP W/ CHANNEL & ASPHALT-BINDER.
9. EXIST. ROCK TRIP UNIT.
10. METERS.
11. NEW PAD MOUNTED TRANSFORMER - SEE ONLY E-1 & PROJECT MANUAL.
12. NEW METERS DOMESTIC WATER SERVICE (SEE ONLY).
13. NEW GAS SERVICE & METER INSTALLATION BY UTILITY. ALL PIPING FROM METER DISCHARGE BY PLUMBING CONTRACTOR.
14. EXIST. SANITARY W/ FIVE CONVECTUAL TO REMAIN IN SERVICE.
15. 1/2" OF CAN FLASHING & GUTTER FLASHING (24 GA.).
16. DRAW BAND.
17. SEAL W/ CALKING SEALANT.
18. LAP JOINTS 1" MIN. & SOLDER.
19. GAS PIPING, CONDUIT TO GAS METER SEE ONLY M-2.
20. ELECTRICAL CONDUIT SEE ELECTR. DRAWINGS.
21. SEE TO INSTALL AREA WHEN NEXT TIME SEE ONLY E-2.
22. GUTTER INTERCEPTOR, SEE ONLY M-1.
23. TRIP EXHAUST FAN - SEE ONLY M-2.
24. KITCHEN EXHAUST FAN - SEE MECHANICAL.
25. FLASH W/ FIVE PENETRATION FOR GAS PIPING TO KITCHEN EQUIPMENT (SEE ONLY M-2).
26. FLASH & ROOF PENETRATION FOR GAS PIPING TO KITCHEN EQUIPMENT (SEE ONLY M-2).

APPROVED
KEEP THIS PLAN ON JOB
MAR 28 1980 2333
Building & Zoning Inspection Div.
Jacksonville, Florida

THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P.A.



Showbiz Pizza Place, Inc.
A Subsidiary of Topoka Inn Management Inc.
TMD

UNIT
A
S
5



AG R
VICINITY
MAP
ROOF

ASSOCIATED
DESIGN
ARCHITECTS

MISSION
BANK BUILDING
3201 JOHN
MISSION
TEL (913)

ROOM FLOOR PLAN AND SPECIFICATIONS											
ROOM NUMBER	ROOM NAME	FLOOR				WALLS				CEILING	
		CONCRETE	QUARRY TILE	VINYL COMPOSITE	CARPET	1	2	3	4	5	6
1	RECEPTION										
2	BOILER										
3	LABORATORY										
4	DRUGS										
5	PLANT ROOM										
6	WATER TANK										
7	DRUGS										
8	LABORATORY										
9	HALL										
10	STORAGE										
11	DRUGS										
12	LABORATORY										
13	TECHNICAL										
14	LABORATORY										
15	LABORATORY										
16	LABORATORY										
17	LABORATORY										
18	LABORATORY										
19	LABORATORY										
20	LABORATORY										
21	LABORATORY										
22	LABORATORY										
23	LABORATORY										
24	LABORATORY										
25	LABORATORY										
26	LABORATORY										
27	LABORATORY										
28	LABORATORY										
29	LABORATORY										
30	LABORATORY										

FLOOR COVERINGS & BASE

- #F-1: Quarry Tile Floor: Dallas Ceramic Co. 4" x 8" Hal Rustic "Heritage" Flash with abrasive surface set/thin set method with matching mortar joints and laid in basket weave pattern.
- #F-2: Vinyl-Asbestos Floor Tile: Pentile, Travertine, 1/8" x 12" x 12", #631-M, "Flory Buff", laid basket weave furnish transition 3 carpet.
- #F-3: Vinyl-Asbestos Floor Tile: Pentile, Avanti, 3/32" x 12" x 12", #613, "Venerian Suede", laid basket weave furnish transition 6 quarry tile or carpet.
- #F-4: Concrete Slab floor to be treated with hardener and sealer solution.
- #F-5: Rubber Base: All areas: Pentile, Fencove, Group 1, #FC-3, "Burnt Umber", 4" cove with 4" coveless 3 carpet areas.
- #F-6: Carpet: Furnished by S.P.P., installed by G.C. with Dark Brown edge strips, as detailed; Bigelow, Concord/Encore #5120, Color 00413, "Amber Copper", direct glue down.
- #F-7: Carpet: Wilson Carpets; Style "All Aboard", Color: #8036 "Ranchwood" (dark brown), Class "A" for walls (20 ft. x 15 ft.) + 15 sq. ft. furnished by S.P.P. installed by G.C. as follows:
- Floor of Platform B and Computer Room: Installed 6 edges with staples for easy removal + 3-way cut at door(s).
 - Face of Stage: Installed with adhesive on gypsum board trim board to floor carpet.
 - Stairs, Risers and Upper Platforms of Kids Crawl: Installed with adhesive on plywood.
- #F-8: Carpet: Furnished by S.P.P., installed by G.C. with bronze edge strips; Galloway Designers Carpet, Model P/550, Micker Heave, Design 505, "Meadow Brown".
- #F-9: Sound Reducing Wall Carpet: Stratton Industries, Inc., "Tapestry Stripes" #T-34, "Gold Stripe", Class "A", ASTM #E-84; (FS-25); 6" wide (stripes perpendicular to width) pattern repeat = 18", furnished by S.P.P. installed with wall adhesive by G.C.
- Floor to 10' ceiling on rear wall of game room and floor to 8'6" ceiling on rear wall of alcove to technical room; stripes to run horizontal.
 1. 18" high material with stripes running horizontal @ ceiling on side walls with 3/4" x 3/4" wood trim cap @ bottom; stain with Devco #15-11, "Pecan".
- Wood trim @ bottom of 18" dropped head @ alcove to technical room area with 8'6" ceiling; trim - stain, Devco #15-11, "Pecan".

#F-6A: Carpet & Fidi: Carpet (same as F-6) furnished by S.P.P., G.C. to furnish pad and install pad and carpet.

VINYL WALL COVERINGS & BASE

GENERAL NOTES:

- All "Victrex" wall vinyls shall be purchased thru Sam W. Palatka, distributor, 7410 Delmar, Prairie Village, Kansas 66208; 913-362-2455, EXCEPT AS NOTED DIFFERENTLY.
- All wall vinyls to be installed with Victrex strippable adhesive #F1460W, direct to unpainted Gypsum board.
- All vinyls to be installed with flash seams.
- All V-5 wall vinyls may be purchased thru Design Materials, Inc., 7000 Grand Avenue, Kansas City, Missouri 64108, 816-221-6544.
- Gypsum board surface to receive V-5 vinyl shall be finished as a perfectly smooth surface before application of vinyl W. C.

WALL VINYL NUMBERS:

- #V-1: Victrex, TASC0 #8356, "Sunbeam" (Flameproof-20)
- #V-2: Victrex, TASC0 #8359, "Fuego Orange" (F.S. -20)
- #V-3: Victrex, TASC0 #8353, "Reinforced Red" (F.S. -20)
- #V-4: Victrex, TASC0 #8347, "Jute" (F.S. -20)
- #V-5: Victrex, TASC0 #8372, "Light Gold" (F.S. -20)
- #V-6: HOC Wall Covering, smooth mylar (15 ft. x 20 ft.), "Silver" (F.S. -15)
- #V-7: Victrex, Strip-L-Tex, #1106, "Shute" (F.S. -20)
- #V-7ss: Victrex, Strip-L-Tex, #1106, "Shute" (F.S. -20) with silk screened color bands (Outside band "Rust" color match theatre front valance, "Control Cloth" brick color; center band, "Light Gold" color, match Victrex TASC0 #8372, "Light Gold"; Inside band, "Orange", match Victrex TASC0 #8359, "Fuego Orange").
- Each design imprinted on (1) 54" wide width of material with vertical length to cover walls from wainscot wood rail to ceiling; furnished by S.P.P., installed by G. C.
- #V-8: Victrex, Honeycomb (Tedlar-faced) #9008, "Wheat" (F.S. -20).

ACoustical CEILING

- #AC-1: Armstrong, Minaboard, "Cortega" 5/8" x 2' x 4' grid (white) 2' x 2' as shown; required on white baked enamel tee grid suspension system; double suspension wiring on tee's supporting banners in Rooms #102 and #103.
- #AC-2: Armstrong, Minaboard, "Cortega Colortones"; 5/8" x 2' x 4'; color finish "Onyx" #795 on Chicago Metallic "Black" baked enamel tee grid suspension system.
- #AC-3: Armstrong, Minaboard, "Cortega Colortones"; 5/8" x 2' x 4'; color finish "Coffee" #794 on Chicago Metallic "Dark Brown" baked enamel tee grid suspension system.
- #AC-4: Armstrong, Armashield, 5/8" x 2' x 4' Class "A"; on (Kitchen) white baked enamel tee grid suspension system.

MATERIALS & CONSTRUCTION

- 1/2" Gypsum board on metal studs from 7' above floor, or 10'2" when room ceiling 10'8".
- 1/2" Gypsum board to run from floor to highest ceiling adjacent to wall.
- 1/2" Gypsum board to run from floor to
- Provide 16 ga. x 6" wide horizontal cold sheet metal bands @ 8" on center above and 4" x 4" on center above floor to screws anchoring store fixtures. See elevations.
- 1/2" Gypsum board to run from floor or ceiling to bottom of roof deck on this studs.
- 1/2" Gypsum board to run from floor to 1' over 1/2" sound deadening board run from deck, this side of wall studs, except 1/2" shall run to bottom of roof deck & enter
- Masonite Prefinished "Amber", 4 1/2" x 11 1/2" groove panel siding 3/4" thick, ship lap lengths above 2'0" high cut pieces w/ equal 10'0" height to ceiling, lumina Gypsum board on metal studs. See typical elevations.
- Masonite "X-70" Countryside lap siding, "GOLD", approx. 1/2" total thickness, D pattern - cut in field from 15' lengths 1-1/2" x 3/4" rabbeted wood trim and 5/8" x 5/8" Ash, stain grade. See typical wall 3'0" high wainscot, or height of railing and floor to ceiling @ Platform "B".
- 1/2" Gypsum board on 2 x 4 wood stud rail see railing details 1,2/3 and typical wall. Also on platform framing.
- Place some studs @ 12" c.c. This wall store fixtures shelf standards. See Sh
- Freezer Cooler walls of preprimed ste
- Marlite Prefinished Panel #C-11 Hi-Gloss on 6" metal studs 3 utilit. wall behind See floor plan.
- 1/2" Gypsum board on 1/2" sound deadening to ceiling on this side of wall studs.
- A major portion of this wall is to be ceiling. See floor plan and interior
- 1/2" Gypsum board on 1/2" sound deadening to ceiling on this side of wall studs.

PAINT & STAIN SPECIFICATIONS

- All Gypsum board walls, except kitchen, latex painting.
- All wood doors, metal doors and windows, wood trim requiring paint except Vitr 1st Coat: Enamel undercoat. 2nd Coat: Velour eggshell enamel.
- All Woods, requiring stain and varnish 1st Coat: Stain, color as indicated. 2nd Coat: Wonderwood sealer or lacquer 3rd Coat: Satin varnish or satin lac.
- Kitchen walls, doors and metal frames 1. All Gypsum board walls no finish 1st Coat: Vinyl (epoxy) primer. 2nd Coat: Epoxy glaze; Devco True finish.
- All wood doors, metal door and windows 1st coat: Enamel undercoat 2nd coat: Semi-gloss enamel
- Gypsum board ceiling: 2 coats of latex ceiling paint with p
- #P-1: "Yellow" match Victrex TASC0 #8356, "Sunbeam" match Victrex TASC0 #8359, "Fuego Orange" match Victrex TASC0 #8353, "Reinforced Red" match Victrex TASC0 #8347, "Jute" match Devco #S-23, "Temple Valley", match #P-5: "Gold" match Victrex, TASC0 #8372, "Light Gold" match #P-6: Stain, Devco, Interior Stain, #15 #P-7: Stain, Devco, Interior Stain, #15 #P-9: Devco, #A-31, "Pale Gold" matches #P-9: Devco, #L-38, "Delray", matches #P-10: Devco, Exterior color, flat - "Da #P-11: Devco #P-44, "Sail White" #P-12: Devco, #2C-58, "Spanish Moss" #P-13: Devco "mcc" #P-14: Devco, #UA-17, "Sunflower"

METAL TOILET PARTITION

- All toilet partitions to be as follows:
1. METPAR Steel Products Corp. 1. Stall & Door = Type FP-500. 2. Urinal Screens = Type "PPF" 3. Accessories: Double Roll Paper Coat hook and bumper; Hardie bars as shown.
 - OR General Partitions Mfg. Corp. 1. Stall and door - Series 40. 2. Urinal Screens - Type FBS-1. 3. Accessories: Same as (A)
- TP-1: Men's Toilet #122 (a) All partitions, doors, and 1. METPAR: #500 "Apricot" 2. General: #SN-109 "Autumn
- TP-2: Women's Toilet #123 (a) All partitions and doors co 1. METPAR: #500 "Apricot" 2. General: #500-40N "Ran

THEATRE CURTAINS, TRACKS & EQUIP.

- TC-1: Front Curtain Valance & Side Swags @ Platform "B":
- Material: Pawley Co., Denver, Colorado; Flameproof "Control Cloth", color, "Brick"; Austrian Valance with pleated side swags and tie back; material and construction by S.P.P.; installed by S.P.P.
 - Curved Curtain Board: Plywood material attached to acoustical ceiling and painted to match ceiling; furnished and installed by G. C.; refer to details on Drawing A-11 for direct attachment of curtains to board by S.P.P.
- TC-2: Front Power Curtain @ Platform "B":
- Material: Fabricut Co., Tulsa, Oklahoma; Flameproof "Gibson"; color, "Flax"; pleated @ 4" o.c.; material and construction by S.P.P.; installed by S.P.P.
 - Curved Power Track & Motors: Furnished by S.P.P.; track installed on plywood curtain board by S.P.P. Three (3) power motors for each track w/cable hooked up and powered by G. C.; refer to details on Drawing A-11.
- TC-3: Back Curtain @ Rear of Platform "B":
- Material: Pawley Co., Denver, Colorado; Flameproof "Control Cloth", color, #3 "Straw"; pleated @ 4" o.c.; material and construction by S.P.P.; installed by S.P.P.
 - Straight Hand Traverse Rods with ceiling tee clips for securing to acoustical ceiling tens by S.P.P.; installed by S.P.P.; refer to details on Drawing A-11.

INSULATION NOTES

- 2-1/2" sound batts from floor to top of wall studs.
- 3-1/2" Fiberglas "R-11" batt insulation with Kraft paper vapor barrier on room side, in all exterior walls.
- 3-1/2" sound batts in ceiling.
- 1/2" soundboard on this face of studs, see construction note #6.

MIRRORS & PLASTIC PANELS (WALL COVERINGS)


- M-1: Mirror strips by S.P.P., installed by S.P.P.
- M-2: Plexiglas (white) panels by S.P.P., installed by S.P.P.

LAMINATED PLASTIC TOPS


- P. -1: Formica, #845-65F, "Scarlet".
- P. -2: Formica, #131-58F, "Gormet Oak".
- P. -3: Formica, #841-65F, "Brick Orange".
- P. -4: Formica, #720-58F, "Tawny Rawhide".

GRILL CLOTH


- GC-1: GRILL CLOTH FOR SPEAKERS: Mollatone Grill Fabrics, Division of Vendell Fabric Corp., #DI 6005.




DINING AREA WALL #2




DINING AREA WALL #4




DINING AREA WALL #1




DINING AREA WALL #3




WALL #1 - CORRIDOR ALCOVE
DOOR DRIB TO KITCHEN




FOYER WALL #2




BEVERAGES WALL #1




BEVERAGES WALL #2




KITCHEN WALL #1




OFFICE WALL #3




FOYER WALL #4




BACK WALL



FOYER WALL #2



FOYER WALL #3



FOYER WALL #4

CONSTRUCTION NOTES

1. PLASTIC LETTERS, FURN BY S.P.P. INSTALL BY G.C. REFER. ID-1.
2. 4" SQUARE BASE.
3. 1/2" GRAPHIC DESIGN, SEE FIN. NOTE THIS SHEET, FIN. TONED SH-4-B.
4. 8" x 8" GRID ACOUSTICAL CEILING, SUSPENDED.
5. JAMB JOINTS TO HAVE 1/4" CLEARANCE PLASTIC TRIM, 1/4" RADIUS.
6. 1/4" RADIUS.
7. 1/4" RADIUS.
8. LAMINATED CHARACTER LOGO, FURN. BY S.P.P. INSTALL BY G.C. REFER. ID-1.
9. HOLLOW METAL DOOR FRAMES.
10. VINYL WALL COVERING, SEE FIN. NOTES.
11. 1" TYPED EQUIPMENT COUNTERS, FURN. BY S.P.P. INSTALL BY G.C.
12. PLASTIC SIGN, FURN. BY S.P.P. INSTALL BY G.C.
13. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
14. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
15. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
16. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
17. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
18. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
19. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
20. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
21. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
22. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
23. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
24. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
25. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
26. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
27. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
28. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
29. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
30. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
31. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
32. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
33. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
34. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
35. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
36. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
37. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
38. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
39. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.
40. 1/4" SQUARE COUNTERS, FURN. BY S.P.P. REFER. ID-1.

FINISH NOTES

- V-1 T-20 V-2 • VINYL WALL COVERING - SYMBOLS.
- AC-1 THEN AC-4 • ACOUSTICAL CEILING TILE SYMBOLS.
- PL-1 THEN PL-4 • PLASTER FINISH NOTES.
- LP-1 THEN LP-4 • LAMINATED PLASTIC NOTES.
- (SEE SHEET NO. 1-2 FOR FINISH & COLOR SCHEDULES & NOTES.)

APPROVED
KEEP THIS PLAN ON JOB
MAR 23 1980 2333

Building & Zoning Inspection Div.
Jacksonville, Florida



Showbiz Pizza Place, Inc.
A Subsidiary of Topoka Inn Management Inc.
2309 WEST 29th - TOPEKA, KANSAS 66611
Developers of:

UNIT NO.
AS
5



AS R
INTERIOR
ELEVATIONS


1-1-5
0-18-17
REV 2-1-80

ASSOCIATED
DESIGNERS &
ARCHITECTS


MISSION STATE
BANK BUILDING
1001 JOHNSON DR
JACKSONVILLE, FL 32202
TEL 904/447-1222

A5


THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P.A.




2 APR 15 1944




PLAY ROOM 105 - NA -- 2




211114 3' 11-12-44




FLAT-ROCK B' WALL #2




CHANDLER AREA 16-2 LAY ROOM 105-HALL#1




PLAYROOM 105, SKEEBALL 107 - HALL #3



WALL 26 - WALL#



PLATFORM 12, DINING ROOM - WALL



PLATFORM B: HALL 100 - 10A. - #2

- [illegible]

W- TARD W- . HAVE WALL CONVENIENTLY EXPOSED.
AC- THRU AC- A. ACROSTICAL BEING FILE SYMBOLS.
P- THRU P- . SAME COLOR NOTES.
L- THRU L- A. ILLUSTRATED MUSIC NOTES.
(SEE SHEET NO 22 FOR FINISH COLOR SCHEDULED NOTES.)

THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWRIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P.A.



Showbiz Pizza Place, Inc.
A Subsidiary of Topco Inc. Management Inc.
2009 WEST 29th - TOPEKA, KANSAS 66611
Developers of:

UNIT NO.
**A
S
5**




A R L
RAILINGS.
KIT. CNTR.
SLOPING CIG
& BEV. CNTR.
& MISCL. DTLS
79-115-5
REV. 12-18-79
REL. 1-25-80

ASSOCIATED
DESIGNERS &
ARCHITECTS


A7

CONSTRUCTION NOTES


1. 2" x 4" LAMINATED & MIL. 50 TO SHAPE SHOWN, 5" IN GRAD.
2. 5" x 4" x 5" TRIM STAIN GRAD ASH.
3. 2" x 4" TOP & END CONTINUOUS.
4. 2" x 4" @ 16" C.C.
5. 1/2" GYPSUM BOARD.
6. 4" COVELESS T-FE RUBBER BASE.
7. CARPET.
8. FLUORESCENT LIGHT W/ 4" DIAMETER REFLECTORS, SEE ELEC.
9. 5" x 5" x 1/2" FLYWOOD SUB-FLOOR, STAIN & SEAL W/ 2" MIN. SCHED.
10. 2" x 4" @ 16" C.C.
11. 1/2" RADIUS.
12. ROUND OFF END AS SHOWN.
13. VINYL WALL COVERING AS PER FINISH SCHEDULE.
14. 2" x 4" SILL CONT. SHORT TO FLOOR & 4" x 4" SILL.
15. 2" x 4" BLOCKING BETWEEN STUDS.
16. 2" x 4" BULKING AS REQ'D FOR LEVEL & JUST BEARING.
17. STEP CARRIAGE SUPP. OUT FROM 2" x 4" @ 16" C.C.
18. DRYWALL CASING BRD.
19. 2" x 4" CONT.
20. 3/4" MET STUDS @ 16" C.C., USE 3/4" OR EQUAL.
21. NO TRIM & HANDLINE SHOWN, 3" INTERM. 1/2".
22. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
23. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
24. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
25. ALUMINUM 1" x 1" COUNTER TOP LAP JOINTS, WELD W/ 1/8" STITCH, 1/2" TO 1/2" THICKNESS.
26. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
27. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
28. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
29. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
30. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
31. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
32. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
33. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
34. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
35. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
36. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
37. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
38. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
39. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
40. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
41. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
42. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
43. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
44. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
45. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
46. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
47. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
48. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
49. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
50. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
51. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
52. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
53. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
54. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
55. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
56. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
57. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
58. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
59. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
60. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
61. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
62. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
63. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
64. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
65. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
66. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
67. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
68. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
69. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
70. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
71. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
72. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
73. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
74. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
75. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
76. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
77. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
78. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
79. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
80. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
81. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
82. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
83. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
84. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
85. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
86. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
87. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
88. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
89. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
90. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
91. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
92. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
93. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
94. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
95. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
96. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
97. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
98. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
99. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.
100. 1/2" x 1/2" x 1/2" TRIM STAIN GRAD ASH & PLATEFORM.




DETAIL @ RAIL END




DETAIL @ CHAIRRAIL




DETAIL @ BEVERAGE COUNTER




SECTION @ BEVERAGE COUNTER




DETAIL @ STEPS




SECTION THRU TYPICAL RAILING




SECTION @ ORDER COUNTER




SECTION @ SALAD BAR



SECTION @ PICK-UP











SECTION @ DECORATIVE SLOPING CEILING AT BEVERAGE COUNTER



PROJECTED ELEVATION

NOTE:
CONSTRUCTION NOTES:
COUNTERTOP MAY BE OMITTED
UNDER WALL PARTITIONS.


THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P. A.




CONSTRUCTION NOTES

1. 1/2" STAIN GRADE STAINLESS STEEL
2. 1/2" STAIN GRADE STAINLESS STEEL
3. 1/2" STAIN GRADE STAINLESS STEEL
4. 1/2" STAIN GRADE STAINLESS STEEL
5. 1/2" STAIN GRADE STAINLESS STEEL
6. 1/2" STAIN GRADE STAINLESS STEEL
7. 1/2" STAIN GRADE STAINLESS STEEL
8. 1/2" STAIN GRADE STAINLESS STEEL
9. 1/2" STAIN GRADE STAINLESS STEEL
10. 1/2" STAIN GRADE STAINLESS STEEL
11. 1/2" STAIN GRADE STAINLESS STEEL
12. 1/2" STAIN GRADE STAINLESS STEEL
13. 1/2" STAIN GRADE STAINLESS STEEL
14. 1/2" STAIN GRADE STAINLESS STEEL
15. 1/2" STAIN GRADE STAINLESS STEEL
16. 1/2" STAIN GRADE STAINLESS STEEL
17. 1/2" STAIN GRADE STAINLESS STEEL
18. 1/2" STAIN GRADE STAINLESS STEEL
19. 1/2" STAIN GRADE STAINLESS STEEL
20. 1/2" STAIN GRADE STAINLESS STEEL
21. 1/2" STAIN GRADE STAINLESS STEEL
22. 1/2" STAIN GRADE STAINLESS STEEL
23. 1/2" STAIN GRADE STAINLESS STEEL
24. 1/2" STAIN GRADE STAINLESS STEEL
25. 1/2" STAIN GRADE STAINLESS STEEL
26. 1/2" STAIN GRADE STAINLESS STEEL
27. 1/2" STAIN GRADE STAINLESS STEEL
28. 1/2" STAIN GRADE STAINLESS STEEL
29. 1/2" STAIN GRADE STAINLESS STEEL
30. 1/2" STAIN GRADE STAINLESS STEEL
31. 1/2" STAIN GRADE STAINLESS STEEL
32. 1/2" STAIN GRADE STAINLESS STEEL
33. 1/2" STAIN GRADE STAINLESS STEEL
34. 1/2" STAIN GRADE STAINLESS STEEL
35. 1/2" STAIN GRADE STAINLESS STEEL
36. 1/2" STAIN GRADE STAINLESS STEEL
37. 1/2" STAIN GRADE STAINLESS STEEL
38. 1/2" STAIN GRADE STAINLESS STEEL
39. 1/2" STAIN GRADE STAINLESS STEEL
40. 1/2" STAIN GRADE STAINLESS STEEL
41. 1/2" STAIN GRADE STAINLESS STEEL
42. 1/2" STAIN GRADE STAINLESS STEEL
43. 1/2" STAIN GRADE STAINLESS STEEL
44. 1/2" STAIN GRADE STAINLESS STEEL
45. 1/2" STAIN GRADE STAINLESS STEEL
46. 1/2" STAIN GRADE STAINLESS STEEL
47. 1/2" STAIN GRADE STAINLESS STEEL
48. 1/2" STAIN GRADE STAINLESS STEEL
49. 1/2" STAIN GRADE STAINLESS STEEL
50. 1/2" STAIN GRADE STAINLESS STEEL
51. 1/2" STAIN GRADE STAINLESS STEEL


RECESSED FAY TELEPHONE CABINET




VANITY DETAIL



SECTION THRU TV MONITOR-SPEAKER SHELVES



TV MONITOR SHELVES



SECTION

PLATFORM A FOR ANIMATED CHARACTER



SECTION

SECTIONS & COVE CORNER



SECTION

SECTION

SECTION

SECTION

APPROVED
KEEP THIS PLAN ON JOB
MAX 25 1988 2333A
Building & Zoning Inspection Div.
Jacksonville, Florida

ASSOCIATED
DESIGNERS &
ARCHITECTS

MISSION STATE
BANK BUILDING
1201 JOHNSON DR
MISSION KS 66201
TEL (913) 432-1212

A8

SHOWBIZ
PIZZA PLACE

Showbiz Pizza Place, Inc.
A Subsidiary of Topco International, Inc.
2200 WEST 29th - TOPEKA, KANSAS 66611
Developers of:

UNIT NO.

A
S
5

SHOWBIZ
PIZZA PLACE

AS R

KID'S CRAWL
TV MONITOR
PLATFORM A
TEL. CABINET
& MISCELLS


7-1-1988-5

DATE


REV. 5-5-88

SCALE


THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P.A.




PARTIAL REFLECTED
PLAN




FLOOR PLAN-DINING B
SCALE: 1/4" = 1'-0"



SECTION THRU PLATFORM B (-Y)
SCALE: 1/2" = 1'-0"




DETAIL C
PLATFORM FOR ANIMATED CHARACTERS
SCALE: 1/4" = 1'-0"



DETAIL C
DINING B

DETAILS OF HANGING SPOTLIGHT SUSPENSION




DETAIL C
DINING A

CONSTRUCTION NOTES

1. PROVIDE A PLATFORM, 12" HIGH, 1/2" FRAMING & FLYWOOD SUBFLOOR 1/2" CARPET FLOOR.
2. 2x4 ACCESS DOOR TO AREA UNDER STAGE.
3. FIBER WALLS 12" HIGH (SEE FIN. SCHED. NOTES).
4. WIRE CURTAIN (SEE FIN. SCHED. NOTES).
5. CURTAIN TRACK 1/2" DIA. (SEE FIN. SCHED. NOTES).
6. 10 HP. AIR CONDITIONER TO BE LOCATED IN SLOPED CUTS OF BUILDING, 1/2" DIA. TO PROVIDE AIR LINE TO TERMINATE UNDER PLATFORM (SEE ACCESS DOOR).
7. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
8. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
9. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
10. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
11. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
12. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
13. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
14. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
15. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
16. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
17. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
18. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
19. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
20. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
21. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
22. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
23. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
24. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
25. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
26. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
27. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
28. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
29. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
30. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
31. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
32. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
33. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
34. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
35. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
36. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
37. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
38. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
39. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
40. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
41. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
42. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
43. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
44. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
45. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
46. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
47. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
48. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
49. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
50. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
51. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
52. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
53. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
54. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
55. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
56. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
57. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
58. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
59. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
60. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
61. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
62. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
63. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
64. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
65. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
66. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
67. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
68. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
69. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
70. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
71. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
72. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
73. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
74. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
75. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
76. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
77. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
78. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
79. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
80. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
81. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
82. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
83. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
84. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
85. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
86. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
87. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
88. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
89. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
90. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
91. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
92. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
93. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
94. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
95. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
96. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
97. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
98. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
99. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).
100. 2x4 MET. STUD WALL 1/2" DIA. (SEE FIN. SCHED. NOTES).

APPROVED
KEEP THIS PLAN ON JOB
MAR 28 1980
2333
Building & Zoning Inspection Div.
Jacksonville, Florida



Showbiz Pizza Place, Inc.
A Subsidiary of Topco's Inn Management Inc.
209 WEST 28th - TORONTO, KANSAS 66611
Developed by:

UNIT NO.
A
S
J



FLOOR PLAN
& ELEVATION
OF PLATFORM
FOR ANIMATED
CHARACTERS

JOB
71-15-2
DATE
1-29-80
REV. 2-25-80

ASSOCIATED
DESIGNERS &
ARCHITECTS

MISSION STATE
BANK BUILDING
5201 JEFFERSON
MISSION ST. # 121
TEL. (817) 512-222

A9

THESE DOCUMENTS MAY NOT BE USED OR REPRODUCED
IN ANY FORM WITHOUT THE WRITTEN AUTHORITY OF
SHOWBIZ PIZZA PLACE, INC. AND ASSOCIATED
DESIGNERS & ARCHITECTS, P.A.